

Table 5B
2004 Pediatric Nutrition Surveillance ⁽¹⁾
California
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 10 / 11 / 05

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Alameda	25,227	45.1	20.4	34.5
Alpine	184	42.4	16.3	41.3
Amador	813	45.1	20.7	34.2
Butte	7,249	41.0	19.6	39.4
Calaveras	1,113	37.0	21.0	42.0
City Of Be	123	47.2	24.4	28.5
Colusa	1,340	40.4	20.8	38.8
Contra Cos	15,252	45.6	19.0	35.5
Del Norte	921	37.0	23.1	39.8
El Dorado	2,228	46.0	20.1	33.9
Fresno	47,482	38.2	19.7	42.2
Glenn	1,174	42.0	18.8	39.2
Humboldt	3,439	43.4	20.6	36.0
Imperial	6,853	38.6	19.6	41.8
Inyo	513	40.9	22.8	36.3
Kern	35,223	39.5	19.3	41.1
Kings	3,915	40.1	20.0	39.9
L.A. East	48,894	57.0	12.4	30.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2004 Pediatric Nutrition Surveillance ⁽¹⁾
California
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 10 / 11 / 05

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
L.A. North	30,231	55.4	11.8	32.8
L.A. Other	175,145	24.7	24.8	50.5
L.A. South	51,391	56.1	12.4	31.4
L.A. West	11,986	56.4	13.9	29.7
Lake	1,082	42.2	21.8	36.0
Lassen	631	42.9	17.1	39.9
Long Beach	12,697	40.5	18.3	41.2
Madera	6,295	39.4	19.3	41.2
Marin	2,592	44.6	20.8	34.6
Mariposa	165	48.5	17.0	34.5
Mendocino	2,814	43.4	20.3	36.4
Merced	11,883	40.5	19.9	39.6
Modoc	148	37.8	18.2	43.9
Mono	410	51.5	19.3	29.3
Monterey	9,318	50.3	18.8	30.9
Napa	2,839	44.5	19.5	36.0
Nevada	1,324	48.3	22.4	29.2
Orange	59,314	40.9	20.6	38.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2004 Pediatric Nutrition Surveillance ⁽¹⁾
California
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 10 / 11 / 05

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Pasadena	2,900	40.0	20.2	39.8
Placer	3,529	42.2	20.2	37.5
Plumas	409	45.2	16.4	38.4
Riverside	40,694	48.9	16.8	34.3
Sacramento	39,693	40.3	19.7	39.9
San Benito	1,651	41.5	22.8	35.7
San Bernar	48,986	46.3	17.0	36.7
San Diego	62,404	42.1	19.5	38.4
San Franci	6,554	48.3	17.8	33.9
San Joaqui	22,857	42.1	19.4	38.5
San Luis O	4,771	45.2	21.1	33.6
San Mateo	11,690	43.7	21.4	34.9
Santa Barb	15,515	42.4	20.0	37.6
Santa Clar	30,121	41.4	21.8	36.7
Santa Cruz	3,804	52.1	19.0	28.9
Shasta	4,716	41.8	19.3	39.0
Sierra	56	*	*	*
Siskiyou	1,328	42.3	19.5	38.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2004 Pediatric Nutrition Surveillance ⁽¹⁾
California
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 10 / 11 / 05

Comparison of Age Distribution by County				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Solano	7,401	42.9	21.2	35.9
Sonoma	8,203	43.0	21.7	35.3
Stanislaus	18,710	40.2	19.6	40.2
Sutter	2,697	43.7	20.0	36.3
Tehama	2,215	40.1	19.9	40.0
Trinity	208	47.1	17.3	35.6
Tulare	25,375	39.6	19.7	40.6
Tuolumne	816	42.6	19.0	38.4
Ventura	19,429	42.4	19.7	37.9
Yolo	4,946	40.5	20.8	38.7
Yuba	2,264	41.7	21.6	36.7
Unknown Counties	156	14.7	34.6	50.6
California	976,306	41.3	19.4	39.3
Nation (Prior Year)	5,091,536	36.5	21.5	41.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2004 Pediatric Nutrition Surveillance ⁽¹⁾
California
Comparison of Age Distribution by County
Children Aged 5 to <20 Years ⁽²⁾
Standard Year (School Age Coding)

Page: 1
Run Date: 10 / 11 / 05

Comparison of Age Distribution by County					
County	Number Included in Analysis (3,4)	5 - 8 Years %	9 - 11 Years %	12 - 14 Years %	15 - 19 Years %
Alameda	15,313	38.4	23.9	21.8	15.9
Alpine	103	39.8	20.4	24.3	15.5
Amador	436	40.1	20.9	23.6	15.4
Butte	3,056	44.8	22.1	19.0	14.1
Calaveras	634	43.1	19.6	21.1	16.2
City Of Be	59	*	*	*	*
Colusa	571	45.4	18.6	22.8	13.3
Contra Cos	6,782	44.8	21.0	20.7	13.6
Del Norte	402	53.0	20.6	15.2	11.2
El Dorado	983	47.7	17.7	19.4	15.2
Fresno	34,447	40.9	22.6	21.7	14.8
Glenn	345	44.3	20.6	17.4	17.7
Humboldt	1,081	43.1	20.4	21.6	14.9
Imperial	2,663	45.6	21.3	20.9	12.2
Inyo	232	42.2	19.4	19.8	18.5
Kern	17,328	42.9	21.6	22.7	12.8
Kings	1,854	43.0	20.8	22.0	14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2004 Pediatric Nutrition Surveillance ⁽¹⁾
California
Comparison of Age Distribution by County
Children Aged 5 to <20 Years ⁽²⁾
Standard Year (School Age Coding)

Page: 2
Run Date: 10 / 11 / 05

Comparison of Age Distribution by County					
County	Number Included in Analysis (3,4)	5 - 8 Years %	9 - 11 Years %	12 - 14 Years %	15 - 19 Years %
L.A. East	29,944	39.0	22.5	20.6	17.9
L.A. North	24,926	37.2	23.7	21.3	17.7
L.A. Other	104,557	43.8	23.7	20.3	12.2
L.A. South	46,265	36.1	23.4	24.2	16.3
L.A. West	7,004	39.0	22.1	21.1	17.7
Lake	544	45.6	20.0	21.3	13.1
Lassen	388	35.6	16.2	27.6	20.6
Long Beach	6,960	42.2	24.7	19.9	13.2
Madera	3,416	43.8	22.5	21.2	12.6
Marin	876	38.8	20.4	22.4	18.4
Mariposa	127	41.7	16.5	22.0	19.7
Mendocino	1,100	42.4	21.2	21.5	15.0
Merced	4,709	45.8	21.9	19.2	13.1
Modoc	103	24.3	14.6	27.2	34.0
Mono	102	47.1	19.6	20.6	12.7
Monterey	3,791	45.5	21.8	19.2	13.5
Napa	1,359	42.6	22.7	19.8	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2004 Pediatric Nutrition Surveillance ⁽¹⁾
California
Comparison of Age Distribution by County
Children Aged 5 to <20 Years ⁽²⁾
Standard Year (School Age Coding)

Page: 3
Run Date: 10 / 11 / 05

Comparison of Age Distribution by County					
County	Number Included in Analysis (3,4)	5 - 8 Years %	9 - 11 Years %	12 - 14 Years %	15 - 19 Years %
Nevada	414	42.3	17.4	21.3	19.1
Orange	38,962	41.4	22.1	20.9	15.6
Pasadena	1,403	41.8	23.1	19.5	15.7
Placer	1,613	44.9	20.3	19.9	14.9
Plumas	222	43.7	18.9	22.5	14.9
Riverside	20,076	42.9	21.2	21.4	14.5
Sacramento	25,433	37.9	22.1	23.3	16.7
San Benito	606	49.7	22.4	17.7	10.2
San Bernar	28,758	42.2	20.6	21.4	15.8
San Diego	31,682	45.4	22.1	19.4	13.0
San Franci	4,884	35.3	22.2	22.2	20.2
San Joaqui	11,125	40.7	21.3	21.2	16.8
San Luis O	1,583	51.7	19.3	18.0	10.9
San Mateo	4,355	41.1	22.5	21.0	15.5
Santa Barb	5,800	44.2	22.1	21.1	12.6
Santa Clar	13,799	42.6	22.4	20.2	14.8
Santa Cruz	1,948	36.3	21.9	24.9	16.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B
2004 Pediatric Nutrition Surveillance ⁽¹⁾
California
Comparison of Age Distribution by County
Children Aged 5 to <20 Years ⁽²⁾
Standard Year (School Age Coding)

Page: 4
Run Date: 10 / 11 / 05

Comparison of Age Distribution by County					
County	Number Included in Analysis (3,4)	5 - 8 Years %	9 - 11 Years %	12 - 14 Years %	15 - 19 Years %
Shasta	1,786	47.2	17.1	20.1	15.6
Sierra	24	*	*	*	*
Siskiyou	610	37.2	14.8	30.7	17.4
Solano	2,982	45.3	21.9	19.4	13.4
Sonoma	3,020	45.3	19.7	19.6	15.5
Stanislaus	8,466	47.6	18.9	20.0	13.5
Sutter	870	51.5	21.6	16.7	10.2
Tehama	831	50.7	16.8	16.2	16.2
Trinity	136	40.4	20.6	16.2	22.8
Tulare	12,069	46.9	18.4	20.4	14.3
Tuolumne	430	44.7	23.3	18.8	13.3
Ventura	6,881	43.6	22.1	20.9	13.4
Yolo	2,445	43.4	22.0	20.9	13.7
Yuba	855	47.8	19.2	21.3	11.7
Unknown Counties	136	38.2	22.8	23.5	15.4
California	556,664	41.7	22.3	21.2	14.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.